



Cliffstone

Cliffstone anti slip porcelain tiles make a great neutral tile choice with their limestone like markings. These floor tiles are easy to maintain and are perfect for use in wet areas. The fine stone markings on these tiles have a good slip resistant finish. Because of this Cliffstone is a go to choice for the bathroom floor tiles. In addition the neutral limestone looks fit easily with other tiles and materials. Use Cliffstone anti slip tiles in any area that may be wet or prone to spillage. These tiles also make a great choice for entrances where rainy feet may need a little extra grip.

COLOUR



Cliffstone White Dover



Cliffstone Taupe Moher



Cliffstone Grey Tenerife



Cliffstone Beige Madeira

TECHNICAL DETAILS

Product: Cliffstone is a full body porcelain stoneware tile.

Surface Finish: Naturale, Lappato, and Grip

Slip Resistance	Naturale Finish	Grip Finish
DIN 51130	R10	R11
DIN 51097	Group B	Group C
Pendulum 96 Rubber	Wet: 40	--
Pendulum 55 Rubber	--	Wet: 57

Manufacturing Standard: BS EN 14411G

Use: All walls – all finishes.
Dry internal floors – naturale and lappato finish
External and wet barefoot areas – grip finish.

Variation: V2

Actual Size: These tiles have a sharp 90 degree edges for installation with a 2 or 3mm grout joint. The dimensions provided above are exact and therefore add the grout joint width to the module size when preparing setting out drawings.

Installation: Install this range in a solid bed of polymer modified adhesive in accordance with BS5385: Parts 1, 2, 3 and 4. Adhesive and grout may vary in relation to the specific nature of the installation, and proposed substrates.

Grout Joint: Install these tiles with a minimum 3mm joint on floors and 2mm joint on walls.

Weight per square metre

10mm – 22.55kg/m²

20mm – 46.61kg/m²