



Maku

Maku is a plain porcelain wall and floor tile with a hybrid cement and stone look. Fine vein and grain markings differ on each tile to create an easy neutral look with a little detail. Although Maku is a largely plain tile, it works with a variety of looks from mid century to modern industrial.

COLOUR



Maku Sand



Maku Nut



Maku Light



Maku Grey



Maku Dark

TECHNICAL DETAILS

Product: Maku is a full body porcelain stoneware tile. Composed of a very fine mixture of quality clay with the addition of feldspar, quartz and kaolin. Manufactured by dry pressing atomised powders and kiln firing at temperatures above 1200°C.

The complete vitrification of the tiles allows for a compact, non-absorbent, frost-proof product, resistant to bending, impacts, staining, chemical attacks and thermal shock.

Surface Finish: Matt and Out



Manufacturing Standard: BS EN 14411G
(details available on request)



Use: All walls.
Dry internal floors – matt finish.
External and wet barefoot areas – out finish.

Variation: V2

Actual Size: These tiles have a sharp 90 degree edge for installation with a 2 or 3mm grout joint. Dimensions provided are exact so add the grout joint width to the overall module size when preparing setting out drawings.

Installation: Fit this range in a solid bed of polymer modified adhesive in accordance with BS5385: Parts 1, 2, 3 and 4. Adhesive and grout may vary in relation to the specific nature of the installation, and proposed substrates. Please enquire with our sales department for further information.

Grout Joint: Install these tiles with a minimum 3mm joint on floors and 2mm joint on walls.

Weight per square metre

600x600x10mm – 22.98 kg/m²

600x300x10mm – 21.38 kg/m²

750x750x10mm -23.06 kg/m²

600x300x20mm – 21.38 kg/m²