





# Hyper

Hyper is a great contemporary tile finish reproducing concrete markings in incredible detail. The latest high definition manufacturing techniques making the details on each tile different. Hyper is available with both polished and matt finish on the many size options. Perfect as a floor covering in open spaces, Hyper gives an industrial edge to any interior scheme. The three grey tones range from cool to warm making them an easy choice as a neutral to pair with bolder colour or pattern.

## COLOUR



## SIZE OPTIONS

	Silver Natural	Silver Lappato	Grey Natural	Grey Lappato	Taupe Natural	Taupe Lappato
3195x1596.6x7mm	•					
2700x1194x7mm	•	•	•	•	•	•
1194x1194x9mm	•	•	•	•	•	•
1194x596x9mm	•	•	•	•	•	•
1194x297x9mm	•		•		•	
797.25x797.25x9mm	•		•		•	
596x596x9mm	•	•	•	•	•	•

## TECHNICAL DETAILS

**Product:** Through bodied porcelain stoneware.

**Surface Finish:** Natural and Polished.

Slip Resistance	Natural
DIN 51130	R10
DIN 51097	Group B



**Manufacturing Standard:** BS EN 14411G  
(details available on request)

**Use:** All walls, residential and light traffic commercial floors.

**Actual Size:** Please note that these tiles have a sharp 90 degree edge for installation with a 3mm grout joint. The dimensions provided are exact and therefore add the grout joint width to the overall module size when preparing setting out drawings.

**Installation:** Fix this range in a solid bed of Ardex polymer modified adhesive in accordance with BS5385: Parts 1, 2, 3 and 4. Adhesive and grout may vary in relation to the specific nature of the installation, and proposed substrates.

**Grout Joint:** Install these tiles with a minimum 3mm joint and grouted with Ardex FS Grout (suitable for joints up to 4mm)

**Weight:**

7mm thickness: 17.5 kg/m<sup>2</sup>

9mm thickness: 20.09 kg/m<sup>2</sup>