



Maku

Maku Wall tiles are an elegant and neutral tile option. The soft stone texture combined with contemporary tones make this an easy tile choice for the wall. Because these tiles are porcelain, they can also be used on the floor for a cohesive look. The colour choice in this series is calm and considered. Soft neutrals make these tiles simple to pair with others. Maku wall tiles are not without decoration. White and Black decorative mixes build into a patchwork of pattern for a feature wall. These pieces are sold mixed so individual patterns are not available separately. Maku has a choice of contemporary shapes for setting in a herringbone pattern or as hexagons.

COLOUR



Maku Sand



Maku Nut



Maku Light



Maku Grey



Maku Dark

TECHNICAL DETAILS

Product: Maku is a full body porcelain stoneware tile. Manufactured by dry pressing atomized powders and fired at temperatures above 1200°C.

The complete vitrification of the tiles makes them compact, non-absorbent, frost-proof product, resistant to bending, impacts, staining, chemical attacks and thermal shock.

Surface Finish: Matt and Out



Manufacturing Standard: BS EN 14411G
(details available on request)



Use: All walls.
Dry internal floors – matt finish.
External and wet barefoot areas – out finish.

Variation: V2

Actual Size: Please note that these tiles have a sharp 90 degree edge for installation with a 2 or 3mm grout joint. The dimensions provided above are exact and therefore add the grout joint width to the overall module size when preparing setting out drawings.

Installation: Fit this range in a solid bed of polymer modified adhesive in accordance with BS5385: Parts 1, 2, 3 and 4. Adhesive and grout may vary in relation to the specific nature of the installation, and proposed substrates. Please enquire with our sales department for further information.

Grout Joint: Install these tiles with a minimum 3mm joint on floors and 2mm joint on walls.

Weight per square metre

600x600x10mm – 22.98 kg/m²

600x300x10mm – 21.38 kg/m²

750x750x10mm -23.06 kg/m²

600x300x20mm – 21.38 kg/m²